


DISC SPRINGS TO DIN EN 16983 (formerly DIN 2093)



Deflection s in mm

Force F in N

Stress σ in MPa

Values calculated in accordance with DIN EN 16984
(formerly DIN 2092)

TO ORDER: Product / $D_e \times D_i \times t$ / material code / finish code

EXAMPLE: DSC 25 x 12.2 x 0.7 BR

STANDARD MATERIALS

B	"t" less than 1.25mm High Carbon Steel	HV 425 - 510 HRC 43 - 50
W	"t" 1.25mm and thicker Alloy Steel	HV 412 - 544 HRC 42 - 52
STANDARD FINISH		
R	Phosphate coated, oiled	

Refer to page 15 for SPIROL
Stainless Steel Disc Springs.

DIN Series	Dimensions						Design Force, Deflection and Stresses Based on E = 206 kMPa and $\mu = 0.3$																						
							Preload, $s = 0.15 h_o$					$s = 0.25 h_o$					$s = 0.5 h_o$					$s = 0.75 h_o$					$s = h_o$		
	D _e	D _i	t	l _o	h _o	h _o /t	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	F	σ _{OM}
	8.0	3.2	0.20	0.40	0.20	1.00	0.03	0.37	8	37	144	0.05	0.35	12	97	276	0.10	0.30	20	211	433	0.15	0.25	26	409	600	0.20	30	-710
	8.0	3.2	0.30	0.55	0.25	0.83	0.04	0.51	29	113	247	0.06	0.49	46	207	401	0.13	0.43	79	511	750	0.19	0.36	104	912	1,046	0.25	126	-1,332
	8.0	3.2	0.40	0.60	0.20	0.50	0.03	0.57	43	212	214	0.05	0.55	69	365	350	0.10	0.50	130	792	666	0.15	0.45	186	1,281	949	0.20	238	-1,421
	8.0	3.2	0.50	0.70	0.20	0.40	0.03	0.67	79	299	249	0.05	0.65	128	511	408	0.10	0.60	246	1,083	782	0.15	0.55	357	1,717	1,123	0.20	465	-1,776
C	8.0	4.2	0.20	0.45	0.25	1.25	0.04	0.41	14	-7	253	0.06	0.39	21	8	409	0.13	0.33	33	114	753	0.19	0.26	39	319	1,034	0.25	42	-1,003
B	8.0	4.2	0.30	0.55	0.25	0.83	0.04	0.51	33	99	308	0.06	0.49	52	184	501	0.13	0.43	89	467	938	0.19	0.36	118	847	1,312	0.25	142	-1,505
A	8.0	4.2	0.40	0.60	0.20	0.50	0.03	0.57	48	198	268	0.05	0.55	78	343	439	0.10	0.50	147	749	837	0.15	0.45	210	1,218	1,194	0.20	269	-1,605
	10.0	3.2	0.30	0.65	0.35	1.17	0.05	0.60	34	39	234	0.09	0.56	51	90	378	0.18	0.48	82	308	697	0.26	0.39	98	652	957	0.35	108	-1,147
	10.0	3.2	0.50	0.85	0.35	0.70	0.05	0.80	104	253	302	0.09	0.76	165	447	492	0.18	0.68	296	1,021	925	0.26	0.59	404	1,721	1,299	0.35	500	-1,911
	10.0	4.2	0.40	0.70	0.30	0.75	0.05	0.66	50	134	249	0.08	0.63	79	241	405	0.15	0.55	140	570	760	0.23	0.48	189	988	1,066	0.30	232	-1,384
	10.0	4.2	0.50	0.75	0.25	0.50	0.04	0.71	68	208	221	0.06	0.69	110	359	361	0.13	0.63	206	778	688	0.19	0.56	294	1,260	981	0.25	377	-1,441
	10.0	4.2	0.60	0.85	0.25	0.42	0.04	0.81	111	277	250	0.06	0.79	182	473	410	0.13	0.73	347	1,008	785	0.19	0.66	502	1,604	1,125	0.25	652	-1,730
C	10.0	5.2	0.25	0.55	0.30	1.20	0.05	0.51	20	2	235	0.08	0.48	30	21	380	0.15	0.40	48	133	702	0.23	0.32	58	336	965	0.30	63	-957
B	10.0	5.2	0.40	0.70	0.30	0.75	0.05	0.66	56	124	298	0.08	0.63	88	224	485	0.15	0.55	155	539	912	0.23	0.47	209	943	1,281	0.30	257	-1,531
A	10.0	5.2	0.50	0.75	0.25	0.50	0.04	0.71	75	198	266	0.06	0.69	122	343	435	0.13	0.63	228	749	829	0.19	0.56	325	1,218	1,182	0.25	418	-1,595
	12.0	4.2	0.40	0.80	0.40	1.00	0.06	0.74	55	76	238	0.10	0.70	85	149	385	0.20	0.60	141	411	714	0.30	0.50	178	786	988	0.40	206	-1,228
	12.0	4.2	0.50	0.90	0.40	0.80	0.06	0.84	91	158	266	0.10	0.80	143	285	432	0.20	0.70	249	683	809	0.30	0.60	331	1,193	1,130	0.40	402	-1,535
	12.0	5.2	0.40	0.80	0.40	1.00	0.06	0.74	58	62	270	0.10	0.70	90	124	438	0.20	0.60	149	358	813	0.30	0.50	188	700	1,126	0.40	217	-1,295
	12.0	5.2	0.50	0.90	0.40	0.80	0.06	0.84	96	137	303	0.10	0.80	150	251	493	0.20	0.70	263	611	923	0.30	0.60	350	1,080	1,291	0.40	424	-1,619
	12.0	5.2	0.60	0.95	0.35	0.58	0.05	0.90	122	213	279	0.09	0.86	196	372	455	0.18	0.78	361	828	863	0.26	0.69	506	1,367	1,222	0.35	641	-1,700
	12.0	5.2	0.80	1.10	0.30	0.38	0.05	1.06	217	319	275	0.08	1.03	356	545	452	0.15	0.95	685	1,151	869	0.23	0.88	998	1,818	1,251	0.30	1,302	-1,943
	12.0	6.2	0.50	0.85	0.35	0.70	0.05	0.80	84	139	291	0.09	0.76	134	249	475	0.18	0.68	239	582	894	0.26	0.59	326	1,001	1,259	0.35	404	-1,544
	12.0	6.2	0.60	0.95	0.35	0.58	0.05	0.90	133	204	325	0.09	0.86	214	358	531	0.18	0.78	394	801	1,007	0.26	0.69	552	1,329	1,429	0.35	699	-1,853
	12.0	6.2	0.80	1.10	0.30	0.38	0.05	1.06	236	311	322	0.08	1.03	388	531	529	0.15	0.95	747	1,124	1,017	0.23	0.88	1,090	1,780	1,465	0.30	1,419	-2,118

DISC SPRINGS TO DIN EN 16983 (formerly DIN 2093)

DIN Series	Dimensions						Design Force, Deflection and Stresses Based on $E = 206 \text{ kMPa}$ and $\mu = 0.3$																						
							Preload, $s = 0.15 h_0$					$s = 0.25 h_0$					$s = 0.5 h_0$					$s = 0.75 h_0$					$s = h_0$		
	D_e	D_i	t	l_0	h_0	h_0/t	s	l_t	F	σ_{II}	σ_{III}	s	l_t	F	σ_{II}	σ_{III}	s	l_t	F	σ_{II}	σ_{III}	s	l_t	F	σ_{II}	σ_{III}	s	F	σ_{0M}
C	12.5	6.2	0.35	0.80	0.45	1.29	0.07	0.73	55	-14	314	0.11	0.69	84	2	506	0.23	0.58	130	134	932	0.34	0.46	151	393	1,278	0.45	160	-1,250
B	12.5	6.2	0.50	0.85	0.35	0.70	0.05	0.80	76	129	258	0.09	0.76	120	231	420	0.18	0.68	215	539	791	0.26	0.59	294	925	1,114	0.35	363	-1,388
A	12.5	6.2	0.70	1.00	0.30	0.43	0.05	0.96	147	235	259	0.08	0.93	239	403	425	0.15	0.85	457	864	814	0.23	0.77	660	1,382	1,167	0.30	855	-1,666
	14.0	6.2	0.90	1.25	0.35	0.39	0.05	1.20	269	301	273	0.09	1.16	440	514	448	0.18	1.08	846	1,090	860	0.26	0.99	1,230	1,727	1,236	0.35	1,602	-1,889
C	14.0	7.2	0.35	0.80	0.45	1.29	0.07	0.73	45	-13	259	0.11	0.69	68	0	418	0.23	0.58	106	103	770	0.34	0.46	123	309	1,055	0.45	131	-1,018
B	14.0	7.2	0.50	0.90	0.40	0.80	0.06	0.84	76	94	258	0.10	0.80	120	173	419	0.20	0.70	210	428	787	0.30	0.60	279	764	1,101	0.40	338	-1,293
A	14.0	7.2	0.80	1.10	0.30	0.38	0.05	1.06	173	228	235	0.08	1.03	284	390	386	0.15	0.95	547	826	743	0.23	0.87	797	1,308	1,071	0.30	1,040	-1,551
	15.0	5.2	0.40	0.95	0.55	1.38	0.08	0.87	67	-15	249	0.14	0.81	101	3	401	0.28	0.68	154	142	735	0.41	0.54	176	417	1,002	0.55	181	-1,079
	15.0	5.2	0.70	1.25	0.55	0.79	0.08	1.17	216	201	324	0.14	1.11	340	362	526	0.28	0.98	596	861	985	0.41	0.84	797	1,496	1,376	0.55	969	-1,888
	15.0	6.2	0.50	1.00	0.50	1.00	0.08	0.93	89	64	262	0.13	0.88	138	129	424	0.25	0.75	229	368	787	0.38	0.63	289	716	1,089	0.50	334	-1,275
	15.0	6.2	0.60	1.05	0.45	0.75	0.07	0.98	112	135	246	0.11	0.94	178	243	400	0.23	0.83	314	574	752	0.34	0.71	424	994	1,054	0.45	519	-1,377
	15.0	6.2	0.70	1.10	0.40	0.57	0.06	1.04	138	189	228	0.10	1.00	222	328	373	0.20	0.90	411	727	707	0.30	0.80	578	1,195	1,002	0.40	733	-1,428
	15.0	8.2	0.70	1.10	0.40	0.57	0.06	1.04	159	178	293	0.10	1.00	256	311	479	0.20	0.90	474	694	909	0.30	0.80	666	1,150	1,291	0.40	844	-1,646
	15.0	8.2	0.80	1.20	0.40	0.50	0.06	1.14	226	226	320	0.10	1.10	367	391	523	0.20	1.00	689	856	997	0.30	0.90	982	1,392	1,423	0.40	1,261	-1,881
C	16.0	8.2	0.40	0.90	0.50	1.25	0.08	0.83	55	-6	247	0.13	0.78	84	10	399	0.25	0.65	131	117	735	0.38	0.52	154	322	1,009	0.50	165	-988
B	16.0	8.2	0.60	1.05	0.45	0.75	0.07	0.98	109	109	258	0.11	0.94	172	197	420	0.23	0.83	304	474	790	0.34	0.71	410	830	1,109	0.45	503	-1,333
A	16.0	8.2	0.90	1.25	0.35	0.39	0.05	1.20	221	226	238	0.09	1.16	363	386	391	0.18	1.08	697	820	751	0.26	0.99	1,013	1,301	1,080	0.35	1,319	-1,555
	18.0	6.2	0.40	1.00	0.60	1.50	0.09	0.91	57	-32	198	0.15	0.85	85	-30	319	0.30	0.70	126	52	583	0.45	0.55	139	247	791	0.60	137	-816
	18.0	6.2	0.50	1.10	0.60	1.20	0.09	1.01	85	23	217	0.15	0.95	130	61	350	0.30	0.80	206	234	646	0.45	0.65	245	520	885	0.60	267	-1,021
	18.0	6.2	0.60	1.20	0.60	1.00	0.09	1.11	124	78	236	0.15	1.05	191	152	382	0.30	0.90	317	416	708	0.45	0.75	400	794	980	0.60	462	-1,225
	18.0	6.2	0.70	1.40	0.70	1.00	0.11	1.30	229	105	321	0.18	1.23	354	207	520	0.35	1.05	588	567	964	0.53	0.88	742	1,080	1,333	0.70	855	-1,667
	18.0	6.2	0.80	1.50	0.70	0.88	0.11	1.40	307	169	343	0.18	1.33	480	313	556	0.35	1.15	822	779	1,037	0.53	0.98	1,072	1,399	1,443	0.70	1,277	-1,905
	18.0	8.2	0.70	1.25	0.55	0.79	0.08	1.17	161	118	267	0.14	1.11	255	216	434	0.28	0.98	446	523	815	0.41	0.84	596	922	1,141	0.55	725	-1,412
	18.0	8.2	0.80	1.30	0.50	0.63	0.08	1.23	193	166	252	0.13	1.18	309	292	411	0.25	1.05	564	660	777	0.38	0.93	783	1,104	1,098	0.50	984	-1,468
	18.0	8.2	1.00	1.50	0.50	0.50	0.08	1.43	345	250	290	0.13	1.38	559	432	475	0.25	1.25	1,051	939	904	0.38	1.13	1,497	1,523	1,289	0.50	1,921	-1,834
C	18.0	9.2	0.45	1.05	0.60	1.33	0.09	0.96	80	-22	272	0.15	0.90	121	-14	440	0.30	0.75	186	83	809	0.45	0.60	214	291	1,106	0.60	223	-1,052
B	18.0	9.2	0.70	1.20	0.50	0.71	0.08	1.13	147	120	258	0.13	1.08	233	216	421	0.25	0.95	417	509	792	0.38	0.82	566	879	1,114	0.50	699	-1,363
A	18.0	9.2	1.00	1.40	0.40	0.40	0.06	1.34	276	223	240	0.10	1.30	451	382	394	0.20	1.20	865	814	757	0.30	1.10	1,254	1,295	1,088	0.40	1,631	-1,558
	20.0	8.2	0.60	1.30	0.70	1.17	0.11	1.20	141	23	267	0.18	1.13	214	63	432	0.35	0.95	342	246	797	0.53	0.78	412	550	1,095	0.70	453	-1,202
	20.0	8.2	0.70	1.35	0.65	0.93	0.10	1.25	168	84	257	0.16	1.19	262	161	416	0.33	1.03	442	426	775	0.49	0.86	569	795	1,076	0.65	668	-1,302
	20.0	8.2	0.80	1.40	0.60	0.75	0.09	1.31	199	136	245	0.15	1.25	315	244	398	0.30	1.10	557	576	748	0.45	0.95	751	998	1,048	0.60	921	-1,373
	20.0	8.2	0.90	1.50	0.60	0.67	0.09	1.41	265	177	262	0.15	1.35	423	313	427	0.30	1.20	765	715	804	0.45	1.05	1,051	1,205	1,133	0.60	1,311	-1,545
C	20.0	10.2	0.50	1.15	0.65	1.30	0.10	1.05	94	-15	261	0.16	0.99	141	-4	422	0.33	0.83	219	98	776	0.49	0.66	254	305	1,063	0.65	268	-1,024
B	20.0	10.2	0.80	1.35	0.55	0.69	0.08	1.27	191	129	258	0.14	1.21	304	230	421	0.28	1.08	547	536	793	0.41	0.94	748	917	1,118	0.55	929	-1,386
	20.0	10.2	0.90	1.45	0.55	0.61	0.08	1.37	257	166	277	0.14	1.31	412	292	452	0.28	1.18	754	659	856	0.41	1.04	1,050	1,102	1,212	0.55	1,323	-1,560
	20.0	10.2	1.00	1.55	0.55	0.55	0.08	1.47	337	203	296	0.14	1.41	544	354	484	0.28	1.28	1,010	783	920	0.41	1.14	1,425	1,288	1,307	0.55	1,815	-1,733
A	20.0	10.2	1.10	1.55	0.45	0.41	0.07	1.48	335	222	242	0.11	1.44	548	379	397	0.23	1.33	1,050	809	761	0.34	1.21	1,521	1,290	1,093	0.45	1,976	-1,560
A	20.0	10.2	1.25	1.75	0.50	0.40	0.08	1.68	544	283	303	0.13	1.63	890	484	498	0.25	1.50	1,708	1,030	955	0.38	1.38	2,477	1,639	1,373	0.50	3,222	-1,969

DISC SPRINGS TO DIN EN 16983 (formerly DIN 2093)

DIN Series	Dimensions						Design Force, Deflection and Stresses Based on E = 206 kMPa and $\mu = 0.3$																						
							Preload, $s = 0.15 h_0$					$s = 0.25 h_0$					$s = 0.5 h_0$					$s = 0.75 h_0$					$s = h_0$		
	D _e	D _i	t	l ₀	h ₀	h ₀ /t	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	F	σ _{OM}
C	22.5	11.2	0.60	1.40	0.80	1.33	0.12	1.28	160	-23	302	0.20	1.20	240	-14	488	0.40	1.00	370	98	897	0.60	0.80	426	336	1,227	0.80	444	-1,178
B	22.5	11.2	0.80	1.45	0.65	0.81	0.10	1.35	195	93	253	0.16	1.29	306	171	412	0.33	1.13	533	425	771	0.49	0.96	707	762	1,079	0.65	855	-1,276
A	22.5	11.2	1.25	1.75	0.50	0.40	0.08	1.68	424	224	234	0.13	1.63	693	383	384	0.25	1.50	1,330	815	737	0.38	1.37	1,929	1,296	1,059	0.50	2,509	-1,533
	23.0	8.2	0.70	1.50	0.80	1.14	0.12	1.38	183	37	245	0.20	1.30	279	87	397	0.40	1.10	448	295	733	0.60	0.90	544	626	1,007	0.80	602	-1,173
	23.0	8.2	0.80	1.55	0.75	0.94	0.11	1.44	214	92	237	0.19	1.36	332	175	384	0.38	1.18	560	457	714	0.56	0.99	719	846	991	0.75	842	-1,257
	23.0	8.2	0.90	1.70	0.80	0.89	0.12	1.58	311	125	277	0.20	1.50	486	233	449	0.40	1.30	829	589	837	0.60	1.10	1,078	1,066	1,164	0.80	1,279	-1,508
	23.0	8.2	1.00	1.70	0.70	0.70	0.11	1.60	319	178	241	0.18	1.53	507	315	393	0.35	1.35	909	723	738	0.53	1.18	1,240	1,225	1,037	0.70	1,536	-1,466
	23.0	10.2	0.90	1.65	0.75	0.83	0.11	1.54	295	115	289	0.19	1.46	463	213	469	0.38	1.28	802	531	877	0.56	1.09	1,058	953	1,225	0.75	1,273	-1,500
	23.0	10.2	1.00	1.70	0.70	0.70	0.11	1.60	339	158	277	0.18	1.53	538	282	451	0.35	1.35	964	655	849	0.53	1.18	1,315	1,119	1,195	0.70	1,629	-1,556
	23.0	12.2	1.25	1.85	0.60	0.48	0.09	1.76	532	231	304	0.15	1.70	863	399	497	0.30	1.55	1,630	868	949	0.45	1.40	2,331	1,404	1,356	0.60	3,000	-1,834
	23.0	12.2	1.50	2.10	0.60	0.40	0.09	2.01	875	308	344	0.15	1.95	1,432	527	565	0.30	1.80	2,748	1,124	1,085	0.45	1.65	3,986	1,788	1,560	0.60	5,184	-2,200
C	25.0	12.2	0.70	1.60	0.90	1.29	0.14	1.47	219	-13	309	0.23	1.38	331	4	499	0.45	1.15	515	136	919	0.68	0.92	600	396	1,259	0.90	635	-1,238
B	25.0	12.2	0.90	1.60	0.70	0.78	0.11	1.50	233	99	239	0.18	1.43	367	181	389	0.35	1.25	644	440	730	0.53	1.07	862	776	1,023	0.70	1,050	-1,238
	25.0	12.2	1.00	1.80	0.80	0.80	0.12	1.68	371	120	308	0.20	1.60	585	220	500	0.40	1.40	1,021	542	938	0.60	1.20	1,359	965	1,313	0.80	1,647	-1,573
	25.0	12.2	1.25	1.95	0.70	0.56	0.11	1.85	526	205	291	0.18	1.78	848	357	475	0.35	1.60	1,573	792	902	0.53	1.43	2,214	1,305	1,281	0.70	2,814	-1,720
A	25.0	12.2	1.50	2.05	0.55	0.37	0.08	1.97	634	249	239	0.14	1.91	1,040	425	393	0.28	1.78	2,007	898	757	0.41	1.64	2,926	1,419	1,091	0.55	3,821	-1,622
	28.0	10.2	0.80	1.75	0.95	1.19	0.14	1.61	229	23	232	0.24	1.51	348	62	375	0.48	1.28	553	239	692	0.71	1.04	662	532	950	0.95	723	-1,078
	28.0	10.2	1.00	2.00	1.00	1.00	0.15	1.85	398	84	278	0.25	1.75	615	165	451	0.50	1.50	1,022	459	837	0.75	1.25	1,289	880	1,158	1.00	1,486	-1,419
	28.0	10.2	1.25	2.25	1.00	0.80	0.15	2.10	654	176	312	0.25	2.00	1,030	319	507	0.50	1.75	1,799	765	949	0.75	1.50	2,394	1,340	1,326	1.00	2,902	-1,774
	28.0	10.2	1.50	2.20	0.70	0.47	0.11	2.10	617	247	211	0.18	2.03	1,003	424	346	0.35	1.85	1,899	911	660	0.53	1.68	2,723	1,461	943	0.70	3,511	-1,490
	28.0	12.2	1.00	1.95	0.95	0.95	0.14	1.81	380	80	288	0.24	1.71	590	156	467	0.48	1.48	992	425	870	0.71	1.24	1,268	807	1,208	0.95	1,482	-1,415
	28.0	12.2	1.25	2.10	0.85	0.68	0.13	1.97	530	169	277	0.21	1.89	844	300	451	0.43	1.68	1,519	691	849	0.64	1.46	2,083	1,172	1,196	0.85	2,590	-1,583
	28.0	12.2	1.50	2.25	0.75	0.50	0.11	2.14	709	235	261	0.19	2.06	1,149	406	426	0.38	1.88	2,159	883	812	0.56	1.69	3,077	1,431	1,157	0.75	3,949	-1,676
C	28.0	14.2	0.80	1.80	1.00	1.25	0.15	1.65	287	-7	319	0.25	1.55	435	13	515	0.50	1.30	681	154	950	0.75	1.05	801	422	1,304	1.00	859	-1,282
B	28.0	14.2	1.00	1.80	0.80	0.80	0.12	1.68	303	94	254	0.20	1.60	476	174	414	0.40	1.40	832	429	776	0.60	1.20	1,107	765	1,086	0.80	1,342	-1,282
	28.0	14.2	1.25	2.10	0.85	0.68	0.13	1.97	570	161	315	0.21	1.89	907	287	513	0.43	1.68	1,634	667	968	0.64	1.46	2,240	1,138	1,365	0.85	2,785	-1,702
A	28.0	14.2	1.50	2.15	0.65	0.43	0.10	2.05	633	216	246	0.16	1.99	1,033	371	403	0.33	1.83	1,970	795	772	0.49	1.66	2,841	1,274	1,106	0.65	3,680	-1,562
	31.5	12.2	1.00	2.10	1.10	1.10	0.17	1.94	383	44	264	0.28	1.83	587	98	426	0.55	1.55	951	316	788	0.83	1.28	1,167	656	1,086	1.10	1,309	-1,249
C	31.5	16.3	0.80	1.85	1.05	1.31	0.16	1.69	255	-19	278	0.26	1.59	384	-9	448	0.53	1.33	594	94	825	0.79	1.06	687	308	1,130	1.05	722	-1,077
B	31.5	16.3	1.25	2.15	0.90	0.72	0.14	2.02	498	124	275	0.23	1.93	791	224	449	0.45	1.70	1,409	530	844	0.68	1.47	1,913	917	1,187	0.90	2,359	-1,442
	31.5	16.3	1.50	2.40	0.90	0.60	0.14	2.27	785	186	307	0.23	2.18	1,260	326	501	0.45	1.95	2,314	734	950	0.68	1.73	3,230	1,223	1,346	0.90	4,077	-1,730
A	31.5	16.3	1.75	2.45	0.70	0.40	0.11	2.35	850	223	243	0.18	2.28	1,391	382	399	0.35	2.10	2,669	814	766	0.53	1.92	3,871	1,296	1,102	0.70	5,036	-1,570
	31.5	16.3	2.00	2.75	0.75	0.38	0.11	2.64	1,342	282	292	0.19	2.56	2,199	481	480	0.38	2.38	4,239	1,020	924	0.56	2.19	6,173	1,615	1,331	0.75	8,054	-1,923
	34.0	12.3	1.00	2.20	1.20	1.20	0.18	2.02	386	22	249	0.30	1.90	587	63	403	0.60	1.60	930	250	742	0.90	1.30	1,110	563	1,018	1.20	1,208	-1,153
	34.0	12.3	1.25	2.45	1.20	0.96	0.18	2.27	610	98	276	0.30	2.15	946	188	448	0.60	1.85	1,587	500	833	0.90	1.55	2,024	938	1,154	1.20	2,359	-1,442
	34.0	12.3	1.50	2.70	1.20	0.80	0.18	2.52	919	173	304	0.30	2.40	1,447	313	493	0.60	2.10	2,527	750	923	0.90	1.80	3,363	1,313	1,290	1.20	4,076	-1,730
	34.0	14.3	1.25	2.40	1.15	0.92	0.17	2.23	586	93	284	0.29	2.11	913	177	461	0.58	1.83	1,546	466	858	0.86	1.54	1,993	868	1,193	1.15	2,347	-1,435
	34.0	14.3	1.50	2.55	1.05	0.70	0.16	2.39	770	167	274	0.26	2.29	1,224	297	447	0.53	2.03	2,192	687	841	0.79	1.76	2,990	1,172	1,183	1.05	3,704	-1,572
	34.0	16.3	1.50	2.55	1.05	0.70	0.16	2.39	812	158	304	0.26	2.29	1,291	283	495	0.53	2.03	2,313	660	933	0.79	1.76	3,155	1,131	1,313	1.05	3,908	-1,658
	34.0	16.3	2.00	2.85	0.85	0.43	0.13	2.72	1,284	260	274	0.21	2.64	2,097	445	449	0.43	2.43	4,003	952	860	0.64	2.21	5,783	1,520	1,234	0.85	7,498	-1,790

DISC SPRINGS TO DIN EN 16983 (formerly DIN 2093)

DIN Series	Dimensions						Design Force, Deflection and Stresses Based on E = 206 kMPa and $\mu = 0.3$																						
							Preload, $s = 0.15 h_0$					$s = 0.25 h_0$					$s = 0.5 h_0$					$s = 0.75 h_0$					$s = h_0$		
	D_e	D_i	t	l_0	h_0	h_0/t	s	l_t	F	σ_{II}	σ_{III}	s	l_t	F	σ_{II}	σ_{III}	s	l_t	F	σ_{II}	σ_{III}	s	l_t	F	σ_{II}	σ_{III}	s	F	σ_{0M}
C	35.5	18.3	0.90	2.05	1.15	1.28	0.17	1.88	303	-12	264	0.29	1.76	458	2	427	0.58	1.48	712	108	786	0.86	1.19	832	320	1,078	1.15	884	-1,042
B	35.5	18.3	1.25	2.25	1.00	0.80	0.15	2.10	464	91	251	0.25	2.00	731	168	409	0.50	1.75	1,277	416	766	0.75	1.50	1,699	743	1,073	1.00	2,059	-1,258
A	35.5	18.3	2.00	2.80	0.80	0.40	0.12	2.68	1,139	230	249	0.20	2.60	1,864	393	409	0.40	2.40	3,576	837	785	0.60	2.20	5,187	1,332	1,128	0.80	6,747	-1,611
	40.0	14.3	1.25	2.65	1.40	1.12	0.21	2.44	591	44	251	0.35	2.30	904	98	406	0.70	1.95	1,459	319	750	1.05	1.60	1,780	664	1,033	1.40	1,984	-1,213
	40.0	14.3	1.50	2.80	1.30	0.87	0.20	2.61	760	118	245	0.33	2.48	1,188	218	398	0.65	2.15	2,040	542	743	0.98	1.83	2,668	973	1,034	1.30	3,184	-1,351
	40.0	14.3	2.00	3.05	1.05	0.53	0.16	2.89	1,112	227	214	0.26	2.79	1,800	393	349	0.53	2.53	3,363	855	664	0.79	2.26	4,769	1,387	943	1.05	6,096	-1,455
	40.0	16.3	1.50	2.80	1.30	0.87	0.20	2.61	783	107	265	0.33	2.48	1,224	199	430	0.65	2.15	2,102	503	802	0.98	1.83	2,749	911	1,118	1.30	3,281	-1,392
	40.0	16.3	2.00	3.10	1.10	0.55	0.17	2.94	1,222	216	246	0.28	2.83	1,972	375	402	0.55	2.55	3,663	825	764	0.83	2.28	5,169	1,349	1,084	1.10	6,580	-1,571
	40.0	18.3	2.00	3.15	1.15	0.58	0.17	2.98	1,355	209	285	0.29	2.86	2,182	365	466	0.58	2.58	4,030	810	883	0.86	2.29	5,656	1,338	1,252	1.15	7,171	-1,712
C	40.0	20.4	1.00	2.30	1.30	1.30	0.20	2.11	375	-15	261	0.33	1.98	565	-4	422	0.65	1.65	876	98	776	0.98	1.32	1,017	305	1,063	1.30	1,072	-1,024
B	40.0	20.4	1.50	2.65	1.15	0.77	0.17	2.48	702	108	265	0.29	2.36	1,109	196	431	0.58	2.08	1,953	474	810	0.86	1.79	2,621	835	1,136	1.15	3,201	-1,359
	40.0	20.4	2.00	3.10	1.10	0.55	0.17	2.94	1,348	203	296	0.28	2.83	2,175	354	484	0.55	2.55	4,041	783	920	0.83	2.28	5,701	1,288	1,307	1.10	7,258	-1,733
A	40.0	20.4	2.25	3.15	0.90	0.40	0.14	3.02	1,428	229	246	0.23	2.93	2,336	392	403	0.45	2.70	4,481	835	774	0.68	2.47	6,500	1,328	1,112	0.90	8,456	-1,595
	40.0	20.4	2.50	3.45	0.95	0.38	0.14	3.31	2,045	275	284	0.24	3.21	3,351	470	466	0.48	2.98	6,453	997	896	0.71	2.74	9,390	1,579	1,290	0.95	12,243	-1,871
C	45.0	22.4	1.25	2.85	1.60	1.28	0.24	2.61	689	-13	307	0.40	2.45	1,041	4	497	0.80	2.05	1,620	134	914	1.20	1.65	1,891	389	1,253	1.60	2,007	-1,227
B	45.0	22.4	1.75	3.05	1.30	0.74	0.20	2.86	963	119	266	0.33	2.73	1,524	214	433	0.65	2.40	2,701	512	814	0.98	2.07	3,646	892	1,144	1.30	4,475	-1,396
A	45.0	22.4	2.50	3.50	1.00	0.40	0.15	3.35	1,695	224	234	0.25	3.25	2,773	383	384	0.50	3.00	5,320	815	737	0.75	2.75	7,716	1,296	1,059	1.00	10,037	-1,534
	45.0	24.4	2.25	3.40	1.15	0.51	0.17	3.23	1,610	200	287	0.29	3.11	2,607	346	469	0.58	2.83	4,887	759	893	0.86	2.54	6,949	1,239	1,273	1.15	8,902	-1,679
	50.0	18.4	1.50	3.15	1.65	1.10	0.25	2.90	761	42	229	0.41	2.74	1,166	93	370	0.83	2.33	1,890	294	684	1.24	1.91	2,319	605	942	1.65	2,600	-1,104
	50.0	18.4	2.00	3.65	1.65	0.83	0.25	3.40	1,419	137	263	0.41	3.24	2,229	251	428	0.83	2.83	3,868	610	800	1.24	2.41	5,114	1,079	1,116	1.65	6,163	-1,471
	50.0	18.4	2.50	4.15	1.65	0.66	0.25	3.90	2,424	232	298	0.41	3.74	3,870	409	486	0.83	3.33	7,002	926	916	1.24	2.91	9,643	1,552	1,291	1.65	12,038	-1,839
	50.0	20.4	2.00	3.50	1.50	0.75	0.23	3.28	1,243	136	244	0.38	3.13	1,966	244	397	0.75	2.75	3,478	578	745	1.13	2.38	4,687	1,000	1,045	1.50	5,745	-1,371
	50.0	20.4	2.50	3.85	1.35	0.54	0.20	3.65	1,862	215	240	0.34	3.51	3,008	373	393	0.68	3.18	5,601	817	746	1.01	2.84	7,919	1,334	1,060	1.35	10,098	-1,543
	50.0	22.4	2.00	3.60	1.60	0.80	0.24	3.36	1,427	125	286	0.40	3.20	2,247	228	466	0.80	2.80	3,924	556	872	1.20	2.40	5,222	985	1,220	1.60	6,329	-1,511
	50.0	22.4	2.50	3.90	1.40	0.56	0.21	3.69	2,023	209	270	0.35	3.55	3,261	364	442	0.70	3.20	6,044	806	838	1.05	2.85	8,510	1,324	1,190	1.40	10,817	-1,653
C	50.0	25.4	1.25	2.85	1.60	1.28	0.24	2.61	565	-11	254	0.40	2.45	854	2	410	0.80	2.05	1,328	106	755	1.20	1.65	1,550	312	1,035	1.60	1,646	-1,006
	50.0	25.4	1.50	3.10	1.60	1.07	0.24	2.86	808	32	276	0.40	2.70	1,242	74	447	0.80	2.30	2,028	250	828	1.20	1.90	2,512	528	1,145	1.60	2,844	-1,207
B	50.0	25.4	2.00	3.40	1.40	0.70	0.21	3.19	1,226	128	264	0.35	3.05	1,949	230	430	0.70	2.70	3,491	537	810	1.05	2.35	4,762	923	1,140	1.40	5,898	-1,408
	50.0	25.4	2.25	3.75	1.50	0.67	0.23	3.53	1,821	165	312	0.38	3.38	2,905	292	508	0.75	3.00	5,249	675	959	1.13	2.63	7,217	1,147	1,353	1.50	8,997	-1,697
	50.0	25.4	2.50	3.90	1.40	0.56	0.21	3.69	2,154	204	302	0.35	3.55	3,473	355	494	0.70	3.20	6,437	789	938	1.05	2.85	9,063	1,301	1,332	1.40	11,519	-1,760
A	50.0	25.4	3.00	4.10	1.10	0.37	0.17	3.94	2,594	249	249	0.28	3.83	4,255	424	409	0.55	3.55	8,214	897	787	0.83	3.27	11,976	1,418	1,135	1.10	15,640	-1,659
C	56.0	28.5	1.50	3.45	1.95	1.30	0.29	3.16	966	-17	299	0.49	2.96	1,458	-4	483	0.98	2.48	2,259	112	889	1.46	1.99	2,622	350	1,218	1.95	2,766	-1,174
B	56.0	28.5	2.00	3.60	1.60	0.80	0.24	3.36	1,213	94	255	0.40	3.20	1,910	173	415	0.80	2.80	3,335	428	778	1.20	2.40	4,438	765	1,090	1.60	5,379	-1,284
A	56.0	28.5	3.00	4.30	1.30	0.43	0.20	4.11	2,539	216	247	0.33	3.98	4,142	371	404	0.65	3.65	7,895	795	775	0.98	3.32	11,388	1,274	1,110	1.30	14,752	-1,565
	60.0	20.5	2.00	4.20	2.20	1.10	0.33	3.87	1,650	58	272	0.55	3.65	2,528	125	440	1.10	3.10	4,097	386	812	1.65	2.55	5,026	784	1,119	2.20	5,636	-1,346
	60.0	20.5	2.50	4.70	2.20	0.88	0.33	4.37	2,657	149	303	0.55	4.15	4,151	276	491	1.10	3.60	7,102	688	916	1.65	3.05	9,255	1,237	1,273	2.20	11,008	-1,682
	60.0	25.5	2.50	4.40	1.90	0.76	0.29	4.12	2,181	143	277	0.48	3.93	3,447	259	451	0.95	3.45	6,081	616	847	1.43	2.98	8,175	1,072	1,187	1.90	9,997	-1,527
	60.0	25.5	3.00	4.65	1.65	0.55	0.25	4.40	2,786	213	254	0.41	4.24	4,495	369	414	0.83	3.83	8,352	812	787	1.24	3.41	11,784	1,330	1,117	1.65	15,002	-1,592
	60.0	30.5	2.50	4.50	2.00	0.80	0.30	4.20	2,578	128	347	0.50	4.00	4,059	236	564	1.00	3.50	7,088	583	1,058	1.50	3.00	9,432	1,041	1,481	2.00	11,433	-1,747
	60.0	30.5	3.00	4.70	1.70	0.57	0.26	4.45	3,155	204	307	0.43	4.28	5,083	356	502	0.85	3.85	9,407	793	953	1.28	3.43	13,226	1,309	1,353	1.70	16,792	-1,782
	60.0	30.5	3.50	5.00	1.50	0.43	0.23	4.78	4,039	255	288	0.38	4.63	6,591	437	472	0.75	4.25	12,574	937	905	1.13	3.88	18,153	1,499	1,297	1.50	23,528	-1,834

DISC SPRINGS TO DIN EN 16983 (formerly DIN 2093)

DIN Series	Dimensions						Design Force, Deflection and Stresses Based on E = 206 kMPa and $\mu = 0.3$																							
							Preload, $s = 0.15 h_o$					$s = 0.25 h_o$					$s = 0.5 h_o$					$s = 0.75 h_o$					$s = h_o$			
	D _e	D _i	t	l _o	h _o	h _o /t	s	l _t	F	σ_{II}	σ_{III}	s	l _t	F	σ_{II}	σ_{III}	s	l _t	F	σ_{II}	σ_{III}	s	l _t	F	σ_{II}	σ_{III}	s	F	σ_{OM}	
C	63.0	31.0	1.80	4.15	2.35	1.31	0.35	3.80	1,566	-19	332	0.59	3.56	2,364	-4	536	1.18	2.98	3,658	130	986	1.76	2.39	4,238	402	1,351	2.35	4,463	-1,315	
B	63.0	31.0	2.50	4.25	1.75	0.70	0.26	3.99	1,850	127	252	0.44	3.81	2,942	227	410	0.88	3.38	5,270	531	773	1.31	2.94	7,189	912	1,088	1.75	8,904	-1,360	
	63.0	31.0	3.00	4.70	1.70	0.57	0.26	4.45	2,808	186	270	0.43	4.28	4,524	324	441	0.85	3.85	8,373	721	838	1.28	3.43	11,772	1,190	1,189	1.70	14,946	-1,586	
A	63.0	31.0	3.50	4.90	1.40	0.40	0.21	4.69	3,301	224	231	0.35	4.55	5,399	383	380	0.70	4.20	10,359	815	729	1.05	3.85	15,025	1,296	1,047	1.40	19,545	-1,524	
	70.0	30.5	2.50	4.90	2.40	0.96	0.36	4.54	2,421	78	293	0.60	4.30	3,755	153	475	1.20	3.70	6,297	422	883	1.80	3.10	8,031	806	1,225	2.40	9,360	-1,430	
	70.0	30.5	3.00	5.10	2.10	0.70	0.32	4.79	2,941	155	266	0.53	4.58	4,676	276	433	1.05	4.05	8,376	640	814	1.58	3.53	11,426	1,093	1,145	2.10	14,152	-1,502	
	70.0	35.5	3.00	5.10	2.10	0.70	0.32	4.79	3,162	147	302	0.53	4.58	5,028	264	493	1.05	4.05	9,007	617	928	1.58	3.53	12,287	1,060	1,307	2.10	15,218	-1,615	
	70.0	35.5	4.00	5.80	1.80	0.45	0.27	5.53	5,376	250	294	0.45	5.35	8,757	430	482	0.90	4.90	16,634	925	921	1.35	4.45	23,923	1,486	1,319	1.80	30,919	-1,845	
C	71.0	36.0	2.00	4.60	2.60	1.30	0.39	4.21	1,895	-19	330	0.65	3.95	2,861	-5	532	1.30	3.30	4,432	125	980	1.95	2.65	5,144	388	1,342	2.60	5,426	-1,295	
B	71.0	36.0	2.50	4.50	2.00	0.80	0.30	4.20	1,838	92	247	0.50	4.00	2,894	169	402	1.00	3.50	5,054	417	754	1.50	3.00	6,725	744	1,055	2.00	8,152	-1,246	
A	71.0	36.0	4.00	5.60	1.60	0.40	0.24	5.36	4,511	230	245	0.40	5.20	7,379	393	402	0.80	4.80	14,157	837	772	1.20	4.40	20,535	1,332	1,109	1.60	26,712	-1,594	
C	80.0	41.0	2.25	5.20	2.95	1.31	0.44	4.76	2,452	-22	337	0.74	4.46	3,698	-9	544	1.48	3.73	5,715	117	1,000	2.21	2.99	6,613	379	1,370	2.95	6,950	-1,311	
B	80.0	41.0	3.00	5.30	2.30	0.77	0.35	4.96	2,817	107	267	0.58	4.73	4,450	196	434	1.15	4.15	7,838	474	814	1.73	3.57	10,518	835	1,142	2.30	12,844	-1,363	
	80.0	41.0	4.00	6.20	2.20	0.55	0.33	5.87	5,407	203	298	0.55	5.65	8,726	354	486	1.10	5.10	16,213	783	924	1.65	4.55	22,874	1,288	1,314	2.20	29,122	-1,738	
A	80.0	41.0	5.00	6.70	1.70	0.34	0.26	6.45	7,192	258	248	0.43	6.28	11,821	439	407	0.85	5.85	22,928	924	786	1.28	5.42	33,559	1,453	1,135	1.70	43,952	-1,679	
C	90.0	46.0	2.50	5.70	3.20	1.28	0.48	5.22	2,800	-14	315	0.80	4.90	4,232	2	509	1.60	4.10	6,585	130	938	2.40	3.30	7,684	385	1,286	3.20	8,157	-1,246	
B	90.0	46.0	3.50	6.00	2.50	0.71	0.38	5.63	3,675	120	258	0.63	5.38	5,836	216	421	1.25	4.75	10,416	509	792	1.88	4.12	14,161	879	1,114	2.50	17,487	-1,363	
A	90.0	46.0	5.00	7.00	2.00	0.40	0.30	6.70	6,888	223	240	0.50	6.50	11,267	382	394	1.00	6.00	21,617	814	757	1.50	5.50	31,354	1,295	1,088	2.00	40,786	-1,558	
	100.0	41.0	4.00	7.20	3.20	0.80	0.48	6.72	5,535	131	269	0.80	6.40	8,714	238	437	1.60	5.60	15,219	577	818	2.40	4.80	20,251	1,017	1,144	3.20	24,547	-1,465	
	100.0	41.0	5.00	7.75	2.75	0.55	0.41	7.34	7,650	216	247	0.69	7.06	12,345	374	404	1.38	6.38	22,937	823	767	2.06	5.69	32,361	1,346	1,089	2.75	41,201	-1,574	
C	100.0	51.0	2.70	6.20	3.50	1.30	0.53	5.68	3,165	-17	303	0.88	5.33	4,779	-3	490	1.75	4.45	7,410	116	902	2.63	3.57	8,609	357	1,235	3.50	9,091	-1,191	
B	100.0	51.0	3.50	6.30	2.80	0.80	0.42	5.88	3,572	91	246	0.70	5.60	5,624	167	399	1.40	4.90	9,823	411	749	2.10	4.20	13,070	734	1,049	2.80	15,843	-1,235	
	100.0	51.0	4.00	7.00	3.00	0.75	0.45	6.55	5,482	124	292	0.75	6.25	8,673	225	476	1.50	5.50	15,341	540	894	2.25	4.75	20,674	944	1,255	3.00	25,338	-1,512	
	100.0	51.0	5.00	7.80	2.80	0.56	0.42	7.38	8,637	204	303	0.70	7.10	13,924	355	496	1.40	6.40	25,810	789	942	2.10	5.70	36,339	1,301	1,337	2.80	46,189	-1,764	
A	100.0	51.0	6.00	8.20	2.20	0.37	0.33	7.87	10,401	249	250	0.55	7.65	17,061	424	411	1.10	7.10	32,937	897	790	1.65	6.55	48,022	1,418	1,139	2.20	62,711	-1,663	
C	112.0	57.0	3.00	6.90	3.90	1.30	0.59	6.32	3,865	-17	299	0.98	5.93	5,834	-4	483	1.95	4.95	9,038	112	889	2.93	3.97	10,489	350	1,218	3.90	11,064	-1,174	
B	112.0	57.0	4.00	7.20	3.20	0.80	0.48	6.72	4,852	94	255	0.80	6.40	7,639	173	415	1.60	5.60	13,341	428	778	2.40	4.80	17,752	765	1,090	3.20	21,518	-1,284	
A	112.0	57.0	6.00	8.50	2.50	0.42	0.38	8.13	9,672	212	234	0.63	7.88	15,800	363	384	1.25	7.25	30,215	777	737	1.88	6.62	43,707	1,239	1,058	2.50	56,737	-1,505	
C	125.0	64.0	3.50	8.00	4.50	1.29	0.68	7.33	5,635	-16	323	1.13	6.88	8,514	0	522	2.25	5.75	13,231	129	961	3.38	4.62	15,416	388	1,318	4.50	16,335	-1,273	
B	125.0	64.0	5.00	8.50	3.50	0.70	0.53	7.98	7,697	128	266	0.88	7.63	12,238	229	433	1.75	6.75	21,924	537	816	2.63	5.87	29,908	923	1,149	3.50	37,041	-1,415	
C	140.0	72.0	3.80	8.70	4.90	1.29	0.74	7.97	6,299	-16	306	1.23	7.48	9,514	-2	495	2.45	6.25	14,773	119	911	3.68	5.02	17,195	362	1,249	4.90	18,199	-1,203	
B	140.0	72.0	5.00	9.00	4.00	0.80	0.60	8.40	7,631	94	258	1.00	8.00	12,014	173	419	2.00	7.00	20,982	428	787	3.00	6.00	27,920	764	1,101	4.00	33,843	-1,293	
C	160.0	82.0	4.30	9.90	5.60	1.30	0.84	9.06	8,058	-18	304	1.40	8.50	12,162	-6	491	2.80	7.10	18,832	111	904	4.20	5.70	21,843	350	1,238	5.60	23,022	-1,189	
B	160.0	82.0	6.00	10.50	4.50	0.75	0.68	9.83	10,873	109	258	1.13	9.38	17,203	197	420	2.25	8.25	30,431	474	790	3.38	7.12	41,008	830	1,109	4.50	50,260	-1,333	
C	180.0	92.0	4.80	11.00	6.20	1.29	0.93	10.07	9,698	-15	295	1.55	9.45	14,646	-2	476	3.10	7.90	22,731	115	877	4.65	6.35	26,442	350	1,201	6.20	27,966	-1,159	
B	180.0	92.0	6.00	11.10	5.10	0.85	0.77	10.34	10,568	77	244	1.28	9.83	16,558	144	396	2.55	8.55	28,552	368	742	3.83	7.27	37,502	672	1,035	5.10	44,930	-1,192	
C	200.0	102.0	5.50	12.50	7.00	1.27	1.05	11.45	13,104	-12	306	1.75	10.75	19,817	5	494	3.50	9.00	30,882	131	910	5.25	7.25	36,111	381	1,247	7.00	38,423	-1,213	

STAINLESS STEEL DISC SPRINGS

TO ORDER: Product / $D_e \times D_i \times t$ / material code / finish code

EXAMPLE: DSC 25 x 12.2 x 0.9 DK

STANDARD MATERIAL	
D	Austenitic Stainless Steel
STANDARD FINISH	
K	Plain

Dimensions						Design Force, Deflection and Stresses Based on E = 190 kMPa and $\mu = 0.3$																						
						Preload, s = 0.15 h _o					s = 0.25 h _o					s = 0.5 h _o					s = 0.75 h _o					s = h _o		
D _e	D _i	t	l _o	h _o	h _o /t	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	l _t	F	σ _{II}	σ _{III}	s	F	σ _{OM}
8.0	4.2	0.40	0.60	0.20	0.50	0.03	0.57	45	183	247	0.05	0.55	72	317	405	0.10	0.50	136	691	772	0.15	0.45	193	1,124	1,102	0.20	248	-1,480
10.0	5.2	0.40	0.70	0.30	0.75	0.05	0.66	51	114	275	0.08	0.63	81	207	448	0.15	0.55	143	497	841	0.23	0.48	193	870	1,181	0.30	237	-1,412
10.0	5.2	0.50	0.75	0.25	0.50	0.04	0.71	69	183	245	0.06	0.69	112	317	401	0.13	0.63	211	691	764	0.19	0.56	300	1,123	1,090	0.25	385	-1,471
12.5	6.2	0.50	0.85	0.35	0.70	0.05	0.80	70	119	238	0.09	0.76	111	213	387	0.18	0.68	198	497	730	0.26	0.59	271	853	1,027	0.35	335	-1,281
12.5	6.2	0.70	1.00	0.30	0.43	0.05	0.96	135	217	239	0.08	0.93	221	372	392	0.15	0.85	421	797	750	0.23	0.78	608	1,275	1,076	0.30	789	-1,537
14.0	7.2	0.50	0.90	0.40	0.80	0.06	0.84	70	87	238	0.10	0.80	111	160	387	0.20	0.70	194	395	725	0.30	0.60	258	705	1,016	0.40	312	-1,192
14.0	7.2	0.80	1.10	0.30	0.38	0.05	1.06	160	211	217	0.08	1.03	262	360	356	0.15	0.95	505	762	686	0.23	0.88	735	1,206	988	0.30	959	-1,431
16.0	8.2	0.40	0.90	0.50	1.25	0.08	0.83	51	-6	228	0.13	0.78	77	9	368	0.25	0.65	121	108	678	0.38	0.53	142	297	930	0.50	153	-911
16.0	8.2	0.60	1.05	0.45	0.75	0.07	0.98	100	101	238	0.11	0.94	159	182	388	0.23	0.83	281	437	728	0.34	0.71	378	765	1,023	0.45	464	-1,230
16.0	8.2	0.90	1.25	0.35	0.39	0.05	1.20	204	208	220	0.09	1.16	334	356	360	0.18	1.08	643	756	693	0.26	0.99	934	1,200	996	0.35	1,217	-1,435
18.0	9.2	0.45	1.05	0.60	1.33	0.09	0.96	74	-20	251	0.15	0.90	111	-13	406	0.30	0.75	171	77	746	0.45	0.60	197	269	1,020	0.60	206	-970
18.0	9.2	0.70	1.20	0.50	0.71	0.08	1.13	136	111	238	0.13	1.08	215	199	388	0.25	0.95	384	469	730	0.38	0.32	522	811	1,028	0.50	645	-1,257
18.0	9.2	1.00	1.40	0.40	0.40	0.06	1.34	254	206	222	0.10	1.30	416	353	363	0.20	1.20	798	751	698	0.30	0.47	1,157	1,195	1,003	0.40	1,505	-1,437
20.0	10.2	0.50	1.15	0.65	1.30	0.10	1.05	86	-14	241	0.16	0.99	130	-4	389	0.33	0.83	202	90	716	0.49	0.66	234	281	981	0.65	247	-944
20.0	10.2	0.80	1.35	0.55	0.69	0.08	1.27	176	119	238	0.14	1.21	281	212	388	0.28	1.08	504	494	732	0.41	0.94	690	846	1,031	0.55	857	-1,279
20.0	10.2	1.10	1.55	0.45	0.41	0.07	1.48	309	204	223	0.11	1.44	506	350	366	0.23	1.33	968	746	702	0.34	1.21	1,403	1,190	1,008	0.45	1,823	-1,438
22.5	11.2	0.60	1.40	0.80	1.33	0.12	1.28	147	-21	279	0.20	1.20	222	-13	450	0.40	1.00	341	91	827	0.60	0.80	392	310	1,132	0.80	410	-1,086
22.5	11.2	0.80	1.45	0.65	0.81	0.10	1.35	180	86	234	0.16	1.29	283	158	380	0.33	1.13	492	392	712	0.49	0.96	653	703	995	0.65	789	-1,177
22.5	11.2	1.25	1.75	0.50	0.40	0.08	1.68	391	206	216	0.13	1.63	639	353	354	0.25	1.50	1,227	751	679	0.38	1.38	1,779	1,195	977	0.50	2,314	-1,414
25.0	12.2	0.70	1.60	0.90	1.29	0.14	1.47	202	-12	285	0.23	1.38	305	3	460	0.45	1.15	475	125	847	0.68	0.93	553	365	1,161	0.90	586	-1,142
25.0	12.2	0.90	1.60	0.70	0.78	0.11	1.50	214	92	221	0.18	1.43	338	167	359	0.35	1.25	594	406	674	0.53	1.08	795	716	944	0.70	969	-1,142
25.0	12.2	1.50	2.05	0.55	0.37	0.08	1.97	585	230	221	0.14	1.91	959	392	363	0.28	1.78	1,851	829	698	0.41	1.64	2,699	1,309	1,006	0.55	3,524	-1,496
28.0	14.2	0.80	1.80	1.00	1.25	0.15	1.65	265	-7	294	0.25	1.55	401	12	475	0.50	1.30	628	142	876	0.75	0.77	739	389	1,203	1.00	792	-1,182
28.0	14.2	1.00	1.80	0.80	0.80	0.12	1.68	279	87	235	0.20	1.60	439	160	382	0.40	1.40	767	395	715	0.60	1.20	1,021	706	1,001	0.80	1,238	-1,182
28.0	14.2	1.50	2.15	0.65	0.43	0.10	2.05	584	199	227	0.16	1.99	953	342	372	0.33	1.83	1,817	734	712	0.49	1.66	2,620	1,175	1,021	0.65	3,394	-1,441
31.5	16.3	0.80	1.85	1.05	1.31	0.16	1.69	235	-17	256	0.26	1.59	354	-8	413	0.53	1.33	548	86	761	0.79	0.87	634	284	1,042	1.05	666	-993
31.5	16.3	1.25	2.15	0.90	0.72	0.14	2.02	459	115	254	0.23	1.93	729	206	414	0.45	1.70	1,300	488	779	0.68	1.48	1,764	846	1,095	0.90	2,176	-1,330
35.5	18.3	0.90	2.05	1.15	1.28	0.17	1.88	279	-11	244	0.29	1.76	422	2	394	0.58	1.48	657	100	725	0.86	1.19	767	295	994	1.15	815	-961
35.5	18.3	1.25	2.25	1.00	0.80	0.15	2.10	428	84	232	0.25	2.00	674	155	377	0.50	1.75	1,177	383	707	0.75	1.50	1,567	685	990	1.00	1,899	-1,161
40.0	20.4	1.00	2.30	1.30	1.30	0.20	2.11	345	-14	241	0.33	1.98	521	-4	389	0.65	1.65	808	90	716	0.98	1.33	938	281	981	1.30	989	-944
40.0	20.4	1.50	2.65	1.15	0.77	0.17	2.48	648	99	245	0.29	2.36	1,023	181	398	0.58	2.08	1,802	437	747	0.86	1.79	2,418	770	1,048	1.15	2,953	-1,253
45.0	22.4	1.25	2.85	1.60	1.28	0.24	2.61	635	-12	284	0.40	2.45	961	4	458	0.80	2.05	1,495	123	843	1.20	1.65	1,744	359	1,156	1.60	1,851	-1,132
50.0	25.4	1.25	2.85	1.60	1.28	0.24	2.61	521	-10	234	0.40	2.45	787	2	378	0.80	2.05	1,225	98	697	1.20	1.65	1,430	288	955	1.60	1,518	-928
56.0	28.5	1.50	3.45	1.95	1.30	0.29	3.16	891	-16	276	0.49	2.96	1,345	-4	446	0.98	2.48	2,084	104	820	1.46	0.52	2,419	323	1,124	1.95	2,551	-1,083
63.0	31.0	1.80	4.15	2.35	1.31	0.35	3.80	1,445	-18	306	0.59	3.56	2,180	-4	494	1.18	2.98	3,373	120	910	1.76	2.39	3,909	370	1,246	2.35	4,116	-1,213
71.0	36.0	2.00	4.60	2.60	1.30	0.39	4.21	1,748	-17	304	0.65	3.95	2,639	-4	491	1.30	3.30	4,088	115	904	1.95	2.65	4,744	358	1,238	2.60	5,004	-1,191



**Innovative fastening solutions.
Lower assembly costs.**



Please refer to www.SPIROL.com for current specifications and standard product offerings.

SPIROL Application Engineers will review your application needs and work with you to recommend the optimum solution. One way to start the process is to visit our **Optimal Application Engineering** portal at **SPIROL.com**.

Technical Centers

Americas

SPIROL International Corporation
30 Rock Avenue
Danielson, Connecticut 06239 U.S.A.
Tel. +1 860 774 8571
Fax. +1 860 774 2048

SPIROL Shim Division
321 Remington Road
Stow, Ohio 44224 U.S.A.
Tel. +1 330 920 3655
Fax. +1 330 920 3659

SPIROL Canada
3103 St. Etienne Boulevard
Windsor, Ontario N8W 5B1 Canada
Tel. +1 519 974 3334
Fax. +1 519 974 6550

SPIROL Mexico
Avenida Avante #250
Parque Industrial Avante Apodaca
Apodaca, N.L. 66607 Mexico
Tel. +52 81 8385 4390
Fax. +52 81 8385 4391

SPIROL Brazil
Rua Mafalda Barnabé Soliane, 134
Comercial Vitória Martini, Distrito Industrial
CEP 13347-610, Indaiatuba, SP, Brazil
Tel. +55 19 3936 2701
Fax. +55 19 3936 7121

Europe

SPIROL France
Cité de l'Automobile ZAC Croix Blandin
18 Rue Léna Bernstein
51100 Reims, France
Tel. +33 3 26 36 31 42
Fax. +33 3 26 09 19 76

SPIROL United Kingdom
17 Princewood Road
Corby, Northants
NN17 4ET United Kingdom
Tel. +44 1536 444800
Fax. +44 1536 203415

SPIROL Germany
Ottostr. 4
80333 Munich, Germany
Tel. +49 89 4 111 905 71
Fax. +49 89 4 111 905 72

SPIROL Spain
08940 Cornellà de Llobregat
Barcelona, Spain
Tel. +34 93 669 31 78
Fax. +34 93 193 25 43

SPIROL Czech Republic
Sokola Tümy 743/16
Ostrava-Mariánské Hory 70900
Czech Republic
Tel/Fax. +420 417 537 979

SPIROL Poland
ul. Solec 38 lok. 10
00-394, Warszawa, Poland
Tel. +48 510 039 345

Asia Pacific

SPIROL Asia Headquarters
1st Floor, Building 22, Plot D9, District D
No. 122 HeDan Road
Wai Gao Qiao Free Trade Zone
Shanghai, China 200131
Tel. +86 21 5046 1451
Fax. +86 21 5046 1540

SPIROL Korea
160-5 Seokchon-Dong
Songpa-gu, Seoul, 138-844, Korea
Tel. +86 (0) 21 5046-1451
Fax. +86 (0) 21 5046-1540

e-mail: info@spirol.com

SPIROL.com