SPIROL®

PIN INSTALLATION TECHNOLOGY

Model PMManual Pin Inserter

This exceptionally versatile tool is ideally suited to all levels of production: from a single unit for prototype assembly, to multiple units on an assembly line. The **Model PM** easily accommodates quick change-overs. The part holding device (fixture) is simply replaced from the base of the machine. The pin diameter is easily changed, positive pin depth easily adjusted, and part size variation easily accommodated. The use of high-tech shafting and bearings results in smooth operation, precise positioning, repeatability, and durability.

Design Features/Benefits:

Easy: - Simple to operate and easily adjustable

Accurate: - Base plate is pre-drilled for simple and

precise fixture location

Reliable: - Post mount style frame is sturdy,

lightweight and portable

Versatile: - Installs pins ranging in diameter from 0.8

mm to 4 mm, and 1/32" to 5/32" unified

- Easy tooling changeover to accommodate

a variety of applications

Capacities: - 200 lbs. maximum insertion force

- Vertical adjustment: 0-178 mm (7")

- Fixed throat dimension: 185 mm (7.5")


- Stroke: 76 mm (3")

Simple Operation:

- 1. Load the part to be pinned into an alignment fixture
- 2. Manually insert a pin into the spring-loaded jaws of the pin-driving chuck
- 3. Pull the lever until the unit reaches a finely adjustable pre-set stop
- 4. Release the lever
- 5. Unload the finished assembly

Optional alignment fixtures available.


Automatic and Semi-Automatic machines are also available from **SPIROL**.







SPIROL Installation Made Easy



Are you experiencing an unacceptable percentage of damaged parts or other quality issues resulting from the installation process?

A significant advantage of the **SPIROL Model PM Manual Pin Inserter** is that it delivers the pin to the installation site with precise positioning, repeatability, and smooth operation without the operator having to struggle to hold the pin during installation.

Operators manually insert a pin into the spring-loaded jaws of the pin-driving chuck and pull the lever until the unit reaches a finely adjustable pre-set stop.

For very small pins, please consider the use of a SPIROL PR machine to eliminate the need for the operator to handle the pin.



Alignment fixtures are designed to accommodate customer products.

SPIROL.com

Technical Centers

Americas

SPIROL International Corporation 30 Rock Avenue

Danielson, Connecticut 06239 U.S.A. Tel. +1 860 774 8571 Fax. +1 860 774 2048

SPIROL Shim Division

321 Remington Road Stow, Ohio 44224 U.S.A Tel. +1 330 920 3655 Fax. +1 330 920 3659

SPIROL Canada

3103 St. Etienne Boulevard Windsor, Ontario N8W 5B1 Canada Tel. +1 519 974 3334 Fax. +1 519 974 6550

SPIROL Mexico

Avenida Avante #250 Parque Industrial Avante Apodaca Apodaca, N.L. 66607 Mexico Tel. +52 81 8385 4390 Fax. +52 81 8385 4391

SPIROL Brazil

Rua Mafalda Barnabé Soliane, 134 Comercial Vitória Martini, Distrito Industrial CEP 13347-610, Indaiatuba, SP, Brazil Tel. +55 19 3936 2701 Fax. +55 19 3936 7121

Europe

SPIROL France

Cité de l'Automobile ZAC Croix Blandin 18 Rue Léna Bernstein 51100 Reims, France Tel. +33 3 26 36 31 42 Fax. +33 3 26 09 19 76

SPIROL United Kingdom

17 Princewood Road Corby, Northants NN17 4ET United Kingdom Tel. +44 1536 444800 Fax. +44 1536 203415

SPIROL Germany

Ottostr. 4 80333 Munich, Germany Tel. +49 89 4 111 905 71 Fax. +49 89 4 111 905 72

SPIROL Spain

08940 Cornellà de Llobregat Barcelona, Spain Tel. +34 93 669 31 78 Fax. +34 93 193 25 43

SPIROL Czech Republic

Sokola Tůmy 743/16 Ostrava-Mariánské Hory 70900 Czech Republic Tel/Fax. +420 417 537 979

SPIROL Poland

ul. Solec 38 lok. 10 00-394, Warszawa, Poland Tel. +48 510 039 345

Asia Pacific

SPIROL Asia Headquarters

1st Floor, Building 22, Plot D9, District D No. 122 HeDan Road Wai Gao Qiao Free Trade Zone Shanghai, China 200131 Tel. +86 21 5046 1451 Fax. +86 21 5046 1540

SPIROL Korea

160-5 Seokchon-Dong Songpa-gu, Seoul, 138-844, Korea Tel. +86 (0) 21 5046-1451 Fax. +86 (0) 21 5046-1540

e-mail: info@spirol.com